



Dosimetry and Calibration Products & Services

2024 LIST



nordion.com



Dosimetry and Calibration Products and Services

Delivery for most items is 4 weeks subject to confirmation at time of order.

Nordion's Dosimetry Laboratory is ISO 17025 accredited for the following services:

- The calibration of routine dosimeters against Alanine reference-standard dosimeters
- The evaluation of Alanine reference-standard dosimeters
- The irradiation of customer-supplied dosimeters to known doses

Please contact Nordion to request a quotation | +1 613 592 2790 | [nordion.com](https://www.nordion.com)

Orders are subject to Nordion's Dosimetry Terms and Conditions of Sale.

Dosimetry and Calibration **Services**

1. Supply and Reading of Dosimeters

Number

10094113

Description

Supply and Reading of Alanine Dosimeters – 4-Pellet Cylindrical Holder

Includes:

- Supply and reading of each dosimeter
- NRC CLAS 2018-01 Certificate of Measurement (Alanine measured dose)
- Quality Control package

Notes:

- Minimum Order: 7 dosimeters
- Dose Range: 20 Gy to 80 kGy
- This measurement service by Nordion is accredited under NRC CLAS 2018-01



Number

10096474

Description


Supply and Reading of Alanine Dosimeters – Disk Holder for E-Beam

Includes:

- Supply and reading of each dosimeter
- NRC CLAS 2018-01 Certificate of Measurement (Alanine measured dose)
- Quality Control package

Notes:

- Minimum Order: 7 dosimeters
- Dose Range: 20 Gy to 80 kGy
- This measurement service by Nordion is accredited under NRC CLAS 2018-01



Number

10097202

Description

Supply and Reading of Alanine Dosimeters – Non-Certified

Includes:

- Supply and reading of each dosimeter, cylindrical or disk holder
- Certificate of Measurement (Alanine measured dose)

Notes:

- Minimum Order: 7 dosimeters
- Dose Range: 20 Gy to 80 kGy

Dosimetry and Calibration Services

2. Irradiation of Dosimeters

Number

10009995

Description

Irradiation of Dosimeters – 10-Position Irradiation Stand

Includes:


- Irradiation of dosimeters (e.g., Alanine pellets in 4-pellet holder, Alanine Tapetab in single pellet holder, Perspex PMMA films, Optichromic) to specified absorbed doses in Nordion's standard Cobalt-60 radiation field GC220 at a customer-specified constant temperature
- NRC CLAS 2018-01 Certificate of Accuracy supplied with return of dosimeters to customer

Customer to Specify:

- Number of dose points
- Number of dosimeters (maximum 10) for each dose point
- Irradiation temperature in °C

Notes:

- Specified doses up to 250 kGy
- Specified irradiation temperature to be between 0°C and +60°C
- Each dosimeter must fit into a 12 mm (0.5 in) diameter cylinder with maximum height of 75 mm (3 in)
- This irradiation service by Nordion is accredited under NRC CLAS 2018-01



Number

10096469

Description

Irradiation of Dosimeters – Film Irradiation Stand

Includes:

- Irradiation of dosimeters (e.g., Perspex PMMA films, FWT-60 radiochromic films) to specified absorbed doses in Nordion's standard Cobalt-60 radiation field GC220 at a customer-specified constant temperature
- NRC CLAS 2018-01 Certificate of Accuracy supplied with return of dosimeters to customer

Customer to Specify:

- Number of dose points
- Number of dosimeters for each dose point
- Irradiation temperature in °C

Notes:

- Specified doses up to 250 kGy
- Specified irradiation temperature to be between 0°C and +60°C
- This irradiation service by Nordion is accredited under NRC CLAS 2018-01



3. In-Plant Calibration

Number

10094114

Description

Routine Dosimetry System In-Plant Calibration Service – Individual 4-Pellet Holder Dosimeters

Includes:

- Supply of 10 Calibration packages, each package containing 2 Alanine dosimeters and 1 temperature strip for measurement of maximum irradiation temperature
- Control Package (for Nordion Quality Control)
- Determination of calibration curve for routine dosimetry system for 1 reader
- NRC CLAS 2018-01 Certificate of Calibration for the routine dosimetry system
- NRC CLAS 2018-01 Certificate of Measurement (Alanine measured dose)
- Review of readings obtained by customer for the irradiated routine dosimeters
- Analysis of dosimetry data

Notes:

- Temperature range between +10°C and +60°C
- This calibration service by Nordion is accredited under NRC CLAS 2018-01
- Customer is responsible to budget for holder uncertainty



Number

10096468

Description


Routine Dosimetry System In-Plant Calibration Service – In-Plant Tapetab Holder

Includes:

- Supply of 10 Calibration packages, each package containing 1 in-plant tapetab holder (containing two 4-pellet holders centered by 4 tapetab slots holder) and 1 temperature strip for measurement of maximum irradiation temperature
- Control Package (for Nordion Quality Control)
- Determination of calibration curve for routine dosimetry system for 1 reader
- NRC CLAS 2018-01 Certificate of Calibration for the routine dosimetry system
- NRC CLAS 2018-01 Certificate of Measurement (Alanine measured dose)
- Review of readings obtained by customer for the irradiated routine dosimeters
- Analysis of dosimetry data

Notes:

- Temperature range between +10°C and +60°C
- This calibration service by Nordion is accredited under NRC CLAS 2018-01



Dosimetry and Calibration Services

3. In-Plant Calibration

Number

10096467

Description

Routine Dosimetry System In-Plant Calibration Service – In-Plant Perspex Holder

Includes:

- Supply of 10 Calibration packages, each package containing 1 in-plant Perspex holder (containing two 4-pellet holders centered by slot for Perspex dosimeter) and 1 temperature strip for measurement of maximum irradiation temperature
- Control Package (for Nordion Quality Control)
- Determination of calibration curve for routine dosimetry system for 1 reader
- NRC CLAS 2018-01 Certificate of Calibration for the routine dosimetry system
- NRC CLAS 2018-01 Certificate of Measurement (Alanine measured dose)
- Review of readings obtained by customer for the irradiated routine dosimeters
- Analysis of dosimetry data

Notes:

- Temperature range between +10°C and +60°C
- This calibration service by Nordion is accredited under NRC CLAS 2018-01



Number

10096466

Description

Routine Dosimetry System In-Plant Calibration Service – In-Plant Alanine Disk/ Radiochromic Film Holder

Includes:

- Supply of 10 Calibration packages, each package containing 1 in-plant disk/FWT holder (containing 2 disk holders centered by slot for FTW film dosimeter) and 1 temperature strip for measurement of maximum irradiation temperature
- Control Package (for Nordion Quality Control)
- Determination of calibration curve for routine dosimetry system for 1 reader
- NRC CLAS 2018-01 Certificate of Calibration for the routine dosimetry system
- NRC CLAS 2018-01 Certificate of Measurement (Alanine measured dose)
- Review of readings obtained by customer for the irradiated routine dosimeters
- Analysis of dosimetry data

Notes:

- Temperature range between +10°C and +60°C
- This calibration service by Nordion is accredited under NRC CLAS 2018-01



Dosimetry and Calibration **Services**

4. Additional In-Plant Calibration

Number	Description
10009997	Additional In-Plant Calibrations – In-Plant Calibration Service Includes: <ul style="list-style-type: none">• Supply of 1 additional calibration curve Notes: <ul style="list-style-type: none">• This service is additional to Routine Dosimetry System In-Plant Calibration Service• This calibration service by Nordion is accredited under NRC CLAS 2018-01

Dosimetry and Calibration **Product**

1. Alanine Flat Disk Holder for E-Beam

Number	Description
10096465	Alanine Disk Holder Includes: <ul style="list-style-type: none">• 2 components (Alanine disk cap with threads and Alanine bottom with 4 holes)



About Nordion

Updated about blurb - sorry: Nordion is the leading global provider of reliable, long-term, end-to-end Cobalt-60 supply and services. With a 75-year history of safety and quality, we are the leading global provider of Gamma technologies that benefit the lives of millions. We ensure reliable supply to the leaders in healthcare, including our sister business, Sterigenics. Learn more about Nordion at www.nordion.com

Safeguarding Global Health® – with every Cobalt-60 source we supply.



CORPORATE HEADQUARTERS
447 March Road, Ottawa, ON, Canada K2K 1X8 | Tel: +1 613 592 2790 | nordion.com